

Technical Specifications

Species: Eastern White Cedar – *Thuja occidentalis*

Resquared and Rebutted. Green, natural (kiln dried) or Factory-Stained.

Dimensions

- Butt Thickness: 3/8" (9,5 mm)
- Width: 3 1/2" (89 mm) - 11" (279 mm)
average: 5.5" (140 mm)
- Nominal length: 16" (406 mm)

Dimensions may vary due to kiln-drying.

FSC® certified shingles available upon request.



Manufacturing

- Stellite-tipped blades: minimize raised grain.
- Kiln-dried to 14 % - 18 % moisture content.


Factory-Staining

Every shingle is factory-coated on all sides in a controlled environment for maximum stain absorption and retention. This also provides increased protection from the damaging effects of the sun and the elements.

Following the stain application, the shingles are sent through a state of the art drier for curing. The product of European technology, this drier cures the stain from the inside out. The shingles are then cooled down and packaged. This unique system increases the durability of the product once installed.

Packaging and Coverage

- 4 boxes per square at 5" (127 mm) exposure.



For sidewall use only.

For roofing application, contact maibec.

Finishes	Warranty against wood decay ¹	Warranty on stain ¹
Water-based Finishes		
Semi-transparent «Spice» series (2 coats)	50 years	3 years
Solid stain (2 coats)	50 years	15 years
Oil-based Finishes		
Bleaching oil (one coat)	50 years	No warranty is offered.
Misty Gray (one coat)	50 years	No warranty is offered.

Available in three grades:

Nantucket

I Premium White Cedar Shingles

No imperfections²

Kennebunk

I Select White Cedar Shingles

No imperfections on exposed face²

Bar Harbor

I Rustic White Cedar Shingles

**Sound knots on exposed face
Contrasting tones**

¹ Some restrictions apply. See detailed warranties.

² In accordance to 118-2-2007 standard of the Canadian Standards Association (CSA).

